



HP 22m Display

Looks great. Performs even better.

Advanced IPS technology provides up to 178° ultra-wide viewing angles with consistent detail and vibrant color. This ultraslim, nearly borderless design with FHD¹ comes at a great value and gives you the connections you need to easily hook up your laptop or desktop.



More screen in less space

Enjoy more desk space than you thought possible with this ultraslim HP display. The attractive, micro-edge design adds stylish beauty to any environment.

Remarkable viewing experience

This FHD¹ display gives you IPS technology and ultra-wide viewing angles that combine to give you an amazing view up to 178°. Seeing is definitely believing.

Easy connectivity

Get the picture quality you're looking for without the need for additional dongles. Conveniently connect your devices with VGA and HDMI ports and enjoy a crisp, clear picture in FHD.¹

¹ Full high-definition (FHD) content required to view FHD images.

HP 22m Display

Featuring

Step up to the best

No matter where you stand, an HP IPS monitor delivers clear, vivid images. IPS technology ensures image accuracy and consistency across the ultra-wide viewing spectrum. Enjoy the same wide viewing experience as premium tablets and mobile devices.

FHD display / 1080p display

Be prepared for brilliant visuals and crisp images with the unforgettable quality of this stunning FHD display.

Low blue light

Using the Low Blue Light mode subtly shifts your display's colors to a warmer spectrum, while making whites more natural and putting less strain on your eyes.

Adjust your view

Adjust the screen to your personal preference with a 5-degree forward or 23-degree backward tilt.

HP 22m Display



Display size	54.61 cm (21.5")
Aspect ratio	16:9 ¹
Display type	IPS with LED backlight
Pixel pitch	0.247 mm
Horizontal viewing angle	178° horizontal; 178° vertical
Tilt	Tilt: -5 to +20°
Response time	5 ms gray to gray ¹
Brightness	250 cd/m ² ¹
Contrast ratio	1000:1 static ¹
Product color	Black
Resolutions supported	1024 x 768; 1280 x 1024; 1280 x 720; 1280 x 800; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 640 x 480; 720 x 400; 800 x 600
Display scan frequency (horizontal)	Up to 80 kHz
Display scan frequency (vertical)	Up to 60 Hz
Display features	Anti-glare; Language selection; On-screen controls; Plug and Play; User controls; User programmable
Display Input Type	1 HDMI 1.4 (with HDCP support); 1 VGA
Physical security features	Security lock-ready ³
Management software	Auto adjustment pattern utility
Environmental specifications	Arsenic-free display glass; Low halogen; Mercury-free display backlights ²
Energy efficiency	Energy efficiency class: A+; Annual energy consumption: 19 kWh; Standby: 0.29 W;
Display User Control Options	Brightness; Color control; Contrast; Exit; Image control; Input control; Language; Management; Menu control; Power control
Product dimensions	49.17 x 3.75 x 30.22 cm Head only. 49.17 x 16.9 x 39.08 cm With stand Packed: 55.5 x 14.2 x 36.5 cm
Weight	2.4 kg; Packed: 4.2 kg
Operating temperature range	5 to 35°C
Operating temperature range	41 to 95°F
Operating humidity range	20 to 80% non-condensing
Certifications and compliances	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CEL Grade 1; C-Tick; cTUVus; EAC; Energy Star; E-standby; EUP Lot-6; FCC; ICES; ISO 9241-307; KC/KCC; MEPS; Microsoft WHQL Certification (Windows 10, Windows 8.1 and Windows 7); TUV Bauart; VCCI; Vietnam MEPS; WEEE; ISC; Low blue light; UkrSEPRO; South Africa MEPS; Ukraine Energy label
Power supply	Input voltage 100 to 240 VAC
Warranty	1 year parts and labour limited warranty.
What's in the box	Monitor; HDMI cable; Documentation; Power adapter
Country of origin	Made in China
Product number	3WL44AA
Ordering info	192545212700

¹ All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

³ Lock is sold separately.

